L,	Hits	Search Text	DB	Time stamp
Number				
-		(340/310\$2).ccls. and (house near3 (code	USPAT;	2004/09/01
		or id or identif\$5)) same (notif\$5 or	US-PGPUB;	19:16
		acknowleg\$3 or feedback)	JPO	
-	0	(340/310\$2).ccls. and (house near3 (code	USPAT;	2004/09/01
		or id or identif\$5))	US-PGPUB;	19:16
			JPO	
-	0	(340/310\$2).ccls.	USPAT;	2004/09/01
			US-PGPUB;	19:16
			JPO	
-	1610	340/310\$2	USPAT;	2004/09/02
			US-PGPUB;	10:49
	_		JPO	
	1	4200862.URPN. and (house near3 (code or	USPAT;	2004/09/01
		id or identif\$5)) same (notif\$5 or	US-PGPUB;	19:17
		acknowleg\$3 or feedback)	JPO	
-	7	( 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	USPAT	2004/09/01
		"4392187"   "4418333"   "4797795"		19:24
ĺ		"4837665").PN.		
-	4	("3558902"   "3689886"   "3964047"	USPAT	2004/09/01
		"4024528").PN.		19:26
-	27	3689886.URPN.	USPAT	2004/09/01
				19:31
-	6	4528667.URPN.	USPAT	2004/09/01
				19:46
-	7	("3845351"   "3924120"   "4200862"	USPAT	2004/09/01
		"4392187"   "4418333"   "4797795"		19:48
		"4837665").PN.		
-	1611	340/310\$2	USPAT;	2004/09/02
		,	US-PGPUB;	10:50
			JPO	
-	27	340/310\$2 and (master or central) same	USPAT;	2004/09/02
		(assign\$4 near9 (slave or remote))	US-PGPUB;	10:51
			JPO	
-	1	(340/310\$2 and (master or central) same	USPAT;	2004/09/02
		(assign\$4 near9 (slave or remote))) and	US-PGPUB;	10:53
		(continuous near6 transmi\$4)	JPO	'
-	0	(340/310\$2 and (master or central) same	USPAT;	2004/09/02
.		(assign\$4 near9 (slave or remote))) and	US-PGPUB;	10:55
		((more adj2 than adj2 once) near6	JPO	
		transmi\$4)		
-	5	(340/310\$2 and (master or central) same	USPAT;	2004/09/02
}		(assign\$4 near9 (slave or remote))) and	US-PGPUB;	19:37
	_	(poll\$3 near6 transmi\$4)	JPO	
-	7	US-6587686-\$.DID. OR US-6501959-\$.DID. OR	USPAT;	2004/09/02
l		US-6321081-\$.DID. OR US-6311044-\$.DID. OR	US-PGPUB;	13:14
		US-6141546-\$.DID. OR US-6188876-\$.DID. OR	JPO	
	_	US-6094577-\$.DID.		
Allak	7	US-6070991-\$.DID. OR US-6037868-\$.DID. OR	USPAT;	2004/09/02
VIIII		US-5936707-\$.DID. OR US-5923247-\$.DID. OR	US-PGPUB;	13:16
* Y *		US-5857012-\$.DID. OR US-5790944-\$.DID. OR	JPO	
_	ا ۱	US-5572510-\$.DID.		
-	14	(US-6587686-\$.DID. OR US-6501959-\$.DID.	USPAT;	2004/09/02
Í		OR US-6321081-\$.DID. OR US-6311044-\$.DID.	US-PGPUB;	16:55
		OR US-6141546-\$.DID. OR US-6188876-\$.DID.	JPO	
		OR US-6094577-\$.DID.) or		
		(US-6070991-\$.DID. OR US-6037868-\$.DID.		
l		OR US-5936707-\$.DID. OR US-5923247-\$.DID.		
		OR US-5857012-\$.DID. OR US-5790944-\$.DID.		
		OR US-5572510-\$.DID.)		

r <del>-</del>	7	T ((US-6587686-\$.DID. OR US-6501959-\$.DID.	USPAT;	12004/09/02
	*	OR US-6321081-\$.DID. OR US-6311044-\$.DID.	US-PGPUB;	13:17
		OR US-6141546-\$.DID. OR US-6188876-\$.DID.	JPO	13.11
		OR US-6141546-\$.DID. OR US-6188876-\$.DID.	""	
		(US-6070991-\$.DID. OR US-6037868-\$.DID.		
		OR US-5936707-\$.DID. OR US-5923247-\$.DID.		
		OR US-5857012-\$.DID. OR US-5790944-\$.DID.		
		OR US-5572510-\$.DID.) ) and (voltage same		
		(alarm alert indicator))		
	17	4872003.URPN.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2004 (00 (02
-	1,	4072003.URPN.	USPAT	2004/09/02
	1.0	(nla on (novem add line add	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
-	19	1 12 12 11-13	USPAT;	2004/09/02
		(communication or transmi\$5))) and (house	US-PGPUB;	18:28
	١.	near3 code) same (assign\$4 or encode\$)	JPO	
-	1	1 12 1 12 12 12 13 1 1 1 1 1 1 1 1 1 1 1	USPAT;	2004/09/02
		(communication or transmi\$5))) and (house	US-PGPUB;	18:12
		near3 code) same (assign\$4 or encode\$)	JPO	
		and (acknowlege\$ or handshake or reply or		
		feedback) same (master transmitter)		0004/05/55
<del>-</del>	4	\vec{v} = 0 \vec	USPAT;	2004/09/02
	1	(communication or transmi\$5))) and (house	US-PGPUB;	18:12
1		near3 code) same (assign\$4 or encode\$)	JPO	
	1	and (acknowlege\$ or handshake or reply or feedback)		
_	_	reedback)   (plc or (power adj line adj	, unabam	2004/00/00
		(communication or transmi\$5))) and (house	USPAT; US-PGPUB:	2004/09/02
		near3 code) same (notif\$5 or reply or	JPO	18:25
		feedback) same (success\$4)	J D P O	
_	2	(plc or (power adj line adj	USPAT;	2004/09/02
	_	(communication or transmi\$5))) and (house	US-PGPUB;	18:25
		near3 code) and (notif\$5 or reply or	JPO	10.23
		feedback) same (success\$4)	1010	
-	145	5400246.URPN.	USPAT	2004/09/02
				18:27
-	5	("4586040"   "4609920"   "4740787"	USPAT	2004/09/02
		"4742335"   "4829297").PN.		19:35
-	138	340/310\$2 and (transmi\$4 same receiv\$4	USPAT;	2004/09/02
		same (predetermined near4 (time or	US-PGPUB;	19:39
		period)))	JPO	
-	13	(340/310\$2 and (transmi\$4 same receiv\$4	USPAT;	2004/09/02
		same (predetermined near4 (time or	US-PGPUB;	19:40
	ļ	period)))) and (reply or acknowlege or	JPO	
		feedback) with receiv\$4		
-	49304	(	USPAT;	2004/09/02
		same (predetermined near4 (time or	US-PGPUB;	19:41
1		period)))) and (reply or acknowlege or	JPO	
		feedback) with receiv\$4) and (power near3		
		line) or plc		
<del>-</del>	9	(	USPAT;	2004/09/02
		same (predetermined near4 (time or	US-PGPUB;	19:46
		period)))) and (reply or acknowlege or	JPO	
		feedback) with receiv\$4) and ((power		
		near3 line) or plc)		
-	193	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2004/09/03
		central) same (remote\$1 or slave\$1)	US-PGPUB;	19:12
_	19	(340/310 06 and /====================================	JPO	
=	19	(340/310.06 and (master or controller or central) same (remote\$1 or slave\$1)) and	USPAT;	2004/09/02
	l	(transmi\$4 near8 predetermined near3	US-PGPUB;	20:22
		(time or period))	JPO	
		(cline of period))		

	799	(program\$4 or set\$4) near5 (code\$1 or	USPAT;	12004/09/02
	"	ID\$2 or identification\$1 or address\$1 or	US-PGPUB;	20:31
		identifier\$1) same (sens\$1 or receiv\$4)	JPO	20:31
		near10 ((time\$1 near3 period\$1) or	J J PO	
		duration\$1)		
				2004/00/00
-	6	(, , , (F2-mm	USPAT;	2004/09/02
		set\$4) near5 (code\$1 or ID\$2 or	US-PGPUB;	20:25
		identification\$1 or address\$1 or	JPO	
		identifier\$1) same (sens\$1 or receiv\$4)		
		near10 ((time\$1 near3 period\$1) or		
		duration\$1))		
-	3	I man to the contract the contract (Free Present)	USPAT;	2004/09/02
		or set\$4) near5 (code\$1 or ID\$2 or	US-PGPUB;	20:34
		identification \$1 or address \$1 or	JPO	ļ
		identifier\$1) same (sens\$1 or receiv\$4)		
		near10 ((time\$1 near3 period\$1) or		
		duration\$1)		
-	0	master near15 slave\$1 near15 (program\$4)	USPAT;	2004/09/02
		near5 (code\$1 or ID\$2 or identification\$1	US-PGPUB;	20:35
		or address\$1 or identifier\$1) same	JPO	-3.55
		(send\$1 or receiv\$4) near15 ((time\$1	1	
		near3 period\$1) or duration\$1) not		
		(master near15 slave\$1 near15 (program\$4		
		or set\$4) near5 (code\$1 or ID\$2 or		
		identification\$1 or address\$1 or		
	Ì	1		
		identifier\$1) same (sens\$1 or receiv\$4)		
		near10 ((time\$1 near3 period\$1) or		
	1.0	duration(1))		
-	10	master near15 slave\$1 near15 (program\$4	USPAT;	2004/09/02
		or set\$1 or setting or set-up or	US-PGPUB;	20:54
		setting-up or assign\$) near5 (code\$1 or	JPO	ĺ
		ID\$2 or identification\$1 or address\$1 or		
		identifier\$1) same (send\$1 or receiv\$4)		
		near15 ((time\$1 near3 period\$1) or		
		duration\$1)		
-	0	master near15 slave\$1 same (program\$4 or	USPAT;	2004/09/02
		assign\$) near10 (code\$1 or ID\$2 or	US-PGPUB;	20:55
		identification\$1 or address\$1 or	JPO	
		identifier\$1) same (send\$1 or receiv\$4)		
		near8 (repetitive\$2 or repeat\$) near15		
		((time\$1 near3 period\$1) or duration\$1)		
-	0	master near15 slave\$1 same (program\$4 or	USPAT;	2004/09/02
		assign\$) near10 (code\$1 or ID\$2 or	US-PGPUB;	20:55
		identification\$1 or address\$1 or	JPO	
		identifier\$1) same (send\$1 or receiv\$4)		
		near15 (repetitive\$2 or repeat\$) near15		
		((time\$1 near3 period\$1) or duration\$1)		
-	0	master near15 slave\$1 and (program\$4 or	IICDATE.	2004/00/00
		assign\$) near10 (code\$1 or ID\$2 or	USPAT; US-PGPUB;	2004/09/02
		identification\$1 or address\$1 or	1	20:55
		identification of address; or identifier; same (send; or receiv; 4)	JPO	
		near15 (repetitive\$2 or repeat\$) near15		
_	0.4	((time\$1 near3 period\$1) or duration\$1)		
=	24	(program\$4 or assign\$) near10 (code\$1 or	USPAT;	2004/09/02
		ID\$2 or identification\$1 or address\$1 or	US-PGPUB;	21:13
		identifier\$1) same (send\$1 or receiv\$4)	JPO	
		near15 (repetitive\$2 or repeat\$) near15		
		((time\$1 near3 period\$1) or duration\$1)		

_ <del></del>	T 50	(program\$4 or assign\$) near10 (code\$1 or	Henam	12004/09/02
-	50		USPAT;	2004/09/02
		ID\$2 or identification\$1 or address\$1 or	US-PGPUB;	21:16
		identifier\$1) same (send\$1 or receiv\$4)	JPO	
		near8 (continuous\$2) near15 ((time\$1) or		
	_	duration\$1)		
-	1	( . F - 2	USPAT;	2004/09/02
		assign\$) near10 (code\$1 or ID\$2 or	US-PGPUB;	21:14
		identification\$1 or address\$1 or	JPO	
		identifier\$1) same (send\$1 or receiv\$4)		
		near8 (continuous\$2) near15 ((time\$1) or		
		duration\$1))		
-	4	((program\$4 or assign\$) near10 (code\$1 or	USPAT;	2004/09/02
		ID\$2 or identification\$1 or address\$1 or	US-PGPUB;	21:15
		identifier\$1) same (send\$1 or receiv\$4)	JPO	
		near8 (continuous\$2) near15 ((time\$1) or		
		duration\$1)) not (340/310.\$2.ccls. and		
		((program\$4 or assign\$) near10 (code\$1 or		
		ID\$2 or identification\$1 or address\$1 or		
		identifier\$1) same (send\$1 or receiv\$4)		
		near8 (continuous\$2) near15 ((time\$1) or		
		duration(1))) and master(1 and slave(1		
-	8049	(program\$4 or assign\$ or encod\$4) near10	USPAT;	2004/09/02
		(code\$1 or ID\$2 or identification\$1 or	US-PGPUB;	21:18
		address\$1 or identifier\$1) same (send\$1	JPO	12.20
		or receiv\$4) near8 (continuous\$2 or	010	
		time\$1 or duration\$1)		
_	475	((program\$4 or assign\$ or encod\$4) near10	USPAT;	2004/09/02
	:	(code\$1 or ID\$2 or identification\$1 or	US-PGPUB;	21:19
		address\$1 or identifier\$1) same (send\$1	JPO	21.13
	ļ	or receiv\$4) near8 (continuous\$2 or	010	
		time\$1 or duration\$1)) and master\$1 same		
		slave\$1		
-	464	(((program\$4 or assign\$ or encod\$4)	USPAT;	2004/09/02
		near10 (code\$1 or ID\$2 or	US-PGPUB;	21:18
		identification\$1 or address\$1 or	JPO	"1.10
		identifier\$1) same (send\$1 or receiv\$4)	010	
		near8 (continuous\$2 or time\$1 or		
		duration\$1)) and master\$1 same slave\$1)		
		and transmit\$4		
-	1039	(program\$4 or assign\$ or encod\$4) near10	USPAT;	2004/09/02
		(code\$1 or ID\$2 or identification\$1 or	US-PGPUB;	2004/09/02
		address\$1 or identifier\$1) same (send\$1	JPO	41:40
		or receiv\$4 or transmit\$4) near10	370	
		(continuous\$2 or time\$1 or duration\$1)		
		near8 predetermined		
-	273	((program\$4 or assign\$ or encod\$4) near10	USPAT;	2004/09/02
		(code\$1 or ID\$2 or identification\$1 or	US-PGPUB;	2004/09/02
		address\$1 or identifier\$1) same (send\$1	JPO	41:17
		or receiv\$4 or transmit\$4) near10	350	
		(continuous\$2 or time\$1 or duration\$1)		
[		near8 predetermined) and 340/\$.ccls.		
-	244	((program\$4 or assign\$ or encod\$4) near10	USPAT	2004/09/02
		(code\$1 or ID\$2 or identification\$1 or	VSFAI	21:19
		address\$1 or identifier\$1) same (send\$1		21:17
		or receiv\$4 or transmit\$4) near10		
	l	(continuous\$2 or time\$1 or duration\$1)		
		near8 predetermined) and 340/\$.ccls.		
		2-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1		1

<u> </u>	157	(program\$4) near10 (code\$1 or ID\$2 or	USPAT;	12004/09/02
		identification\$1 or address\$1 or	US-PGPUB;	21:20
		<pre>identifier\$1) and (((program\$4 or assign\$</pre>	JPO	V
		or encod\$4) near10 (code\$1 or ID\$2 or		
		identification\$1 or address\$1 or		
		identifier\$1) same (send\$1 or receiv\$4 or		
		transmit\$4) near10 (continuous\$2 or		
Į	]	time\$1 or duration\$1) near8		
		predetermined) and 340/\$.ccls.)		
_	18		USPAT;	2004/09/03
		identification\$1 or address\$1 or	US-PGPUB;	18:02
		identifier\$1).ab. and ((program\$4) near10	JPO	10.02
		(code\$1 or ID\$2 or identification\$1 or	1510	
		address\$1 or identifier\$1) and		
		(((program\$4 or assign\$ or encod\$4)		
		near10 (code\$1 or ID\$2 or		
		identification\$1 or address\$1 or		
		identifier\$1) same (send\$1 or receiv\$4 or		
		transmit\$4) near10 (continuous\$2 or		
		time\$1 or duration\$1) near8		
		predetermined) and 340/\$.ccls.))		
l <u>-</u>	27	·	USPAT	2004/09/03
		5.52.103.0KIM.	USPAI	09:46
_	3	((nobuhiro near2 tsubone).in.) and (code\$	USPAT;	2004/09/03
	1	or terminal or address\$2) near5 (assign\$3	US-PGPUB;	18:04
		or encode\$3)		18:04
_	45		JPO	2004/00/02
	•	(hobunito hearz csubone).in.	USPAT;	2004/09/03
			US-PGPUB;	18:08
_	2371	(710/3,4,8,9,10,110).ccls.	JPO	2004/00/02
	23/1	(/10/3,4,8,3,10,110).ccis.	USPAT;	2004/09/03
			US-PGPUB;	18:08
_	25	((710/3,4,8,9,10,110).ccls.) and (address	JPO	2004/00/02
_	25		USPAT;	2004/09/03
		near8 assign\$3) same master same slave	US-PGPUB;	18:13
_	0.7	((710/3,4,8,9,10,110).ccls.) and (address	JPO	0004/00/00
_			USPAT;	2004/09/03
		near8 request\$3) same (assign\$ same address)	US-PGPUB;	18:15
_	6	((710/3,4,8,9,10,110).ccls.) and (address	JPO	2221/22/22
	0		USPAT;	2004/09/03
		near8 request\$3) same (assign\$ same	US-PGPUB;	18:18
_	529	address) same (master same slave) 340/3.1\$2	JPO	2004/20/20
	329	340/3.142	USPAT;	2004/09/03
			US-PGPUB;	18:18
_ i	25	340/3.1\$2 and (address near assign\$)	JPO	2004/00/03
			USPAT;	2004/09/03
			US-PGPUB; JPO	18:19
_	53	340/3.1\$2 and (address near8 assign\$)		2004/00/02
		10,0,0.172 and (address hears assigns)	USPAT; US-PGPUB;	2004/09/03
ĺ			JPO	18:19
_	o	340/3.1\$2 and (address near8 assign\$)		2004/00/02
		same (request\$3 same transmitt\$)	USPAT; US-PGPUB;	2004/09/03
		, same (reduced) same cransmittly)	JPO	18:19
_	0	340/3.1\$2 and (address near8 assign\$)		2004/00/02
İ		same (request\$3 same transmi\$4)	USPAT;	2004/09/03
l		Same (requestly same transmitty)	US-PGPUB;	18:20
_	4	340/3.1\$2 and (address near8 assign\$)	JPO	2004/00/02
l	<b>1</b>	same (request\$3)	USPAT;	2004/09/03
		(104405043)	US-PGPUB; JPO	18:20
	23	340/310.06 and (master or controller or		2004/00/02
_			USPAT;	2004/09/03
-		Central) same (remote\$1 or clave\$1) and	IIC DODITO	10.41
-		central) same (remote\$1 or slave\$1) and (address or terminal) near8 request	US-PGPUB; JPO	19:41

-	5	("4063220"   "4703306"   "5128668"	USPAT	2004/09/03
		"5699515"   "6275922").PN.		19:33
-	0	6750781.URPN.	USPAT	2004/09/03
				19:38
-	150	340/825.52 and (master or controller or	USPAT;	2004/09/03
		central) same (remote\$1 or slave\$1) and	US-PGPUB;	19:43
		(address or terminal) near8 request	JPO	
-	38	340/825.52 and (master or controller or	USPAT;	2004/09/03
		central) same (remote\$1 or slave\$1) same	US-PGPUB;	20:03
		(address or terminal) near8 request	JPO	
-	4		USPAT;	2004/09/04
		or central) same (remote\$1 or slave\$1)	US-PGPUB;	13:58
		same (address or terminal) near8 (setting	JPO	
		near4 request)		
-	1	("6750781").PN.	USPAT;	2004/09/04
			US-PGPUB;	14:58
			JPO	
-	0	6750781.URPN.	USPAT	2004/09/04
			1	14:46
_	5	("4063220"   "4703306"   "5128668"	USPAT	2004/09/04
		"5699515"   "6275922").PN.		14:46
_	37		USPAT;	2004/09/04
	,	code\$1) same (setting-up or assign\$3 or	US-PGPUB;	15:05
İ		encod\$4 or (set adj2 up))	JPO	13.03
_	2	((power adj2 line) and (house near3	USPAT;	2004/09/04
	_	code\$1) same (setting-up or assign\$3 or	US-PGPUB;	15:06
		encod\$4 or (set adj2 up))) and	JPO	13:06
		(address\$2 near4 (table or package))	JPO	
_	101	(house near3 code\$1) same (setting-up or	HCDATT	2004/00/04
	101	assign\$3 or encod\$4 or (set adj2 up))	USPAT; US-PGPUB;	2004/09/04
		assigns of encods4 of (sec adj2 up))		15:08
_	1	((house near3 code\$1) same (setting-up or	JPO	0000/00/00
	_	assign\$3 or encod\$4 or (set adj2 up)))	USPAT;	2004/09/04
		and (address\$2 near4 table) near9	US-PGPUB;	15:07
		request\$4	JPO	
_	1	<del>-</del>	******	2004/00/0
	1	((house near3 code\$1) same (setting-up or	USPAT;	2004/09/04
		assign\$3 or encod\$4 or (set adj2 up)))	US-PGPUB;	15:07
		and (address\$2 near4 table) with	JPO	
	-	request\$4		
-	1	((house near3 code\$1) same (setting-up or	USPAT;	2004/09/04
		assign\$3 or encod\$4 or (set adj2 up)))	US-PGPUB;	15:07
		and (address\$2 near4 table) same	JPO	
_	-	request\$4		
-	2	((house near3 code\$1) same (setting-up or	USPAT;	2004/09/04
		assign\$3 or encod\$4 or (set adj2 up)))	US-PGPUB;	15:07
		and (address\$2 near4 table) same	JPO	
	3005	(download or send or transmit\$4)		
-	1837	(master near3 (unit or controller or	USPAT;	2004/09/04
		device)) and (setting-up or assign\$3 or	US-PGPUB;	15:10
		encod\$4 or (set adj2 up)) same (address	JPO	
		near9 (device unit slave))		
-	411	(master near3 (unit or controller or	USPAT;	2004/09/04
1		device)) same (setting-up or assign\$3 or	US-PGPUB;	15:11
		encod\$4 or (set adj2 up)) same (address	JPO	
		near9 (device unit slave))		
	12	(master near3 (unit or controller or	USPAT;	2004/09/04
-		device)) same (setting-up or assign\$3 or	US-PGPUB;	18:39
-		100t 2dil 101 200 /desdes!	JPO	
-		(set adj2 up)) same (device unit slave)	010	
-		same (address near3 table)	010	
-	2271	<pre>same (address near3 table) (address\$1 near5 assign\$4) and address\$1</pre>	USPAT;	2004/09/04
-	2271	same (address near3 table)		2004/09/04 19:20

-	517	master same salve	USPAT;	2004/09/04
	ĺ		US-PGPUB;	19:05
			JPO	
-	37	((address\$1 near5 assign\$4) and address\$1	USPAT;	2004/09/04
		near10 table\$ near15 (transmit\$4 send\$4	US-PGPUB;	19:06
		or sent or receiv\$4 or reception\$1)) and	JPO	
		(master same salve)		
-	916	(address\$1 near5 assign\$4) and address\$1	USPAT;	2004/09/04
		near2 table\$ near15 (transmit\$4 send\$4 or	US-PGPUB;	19:29
		sent or receiv\$4 or reception\$1)	JPO	
-	0	((address\$1 near5 assign\$4) and address\$1	USPAT;	2004/09/04
		near2 table\$ near15 (transmit\$4 send\$4 or	US-PGPUB;	19:23
		sent or receiv\$4 or reception\$1)) and	JPO	
		(replac\$4 near6 (master or main) near3		
		(unit or device))		
_	5	((address\$1 near5 assign\$4) and address\$1	USPAT;	2004/09/04
		near2 table\$ near15 (transmit\$4 send\$4 or	US-PGPUB;	19:24
		sent or receiv\$4 or reception\$1)) and	JPO	
		((exchang\$4 or download) near6 (master or		
		main) near3 (unit or device))		
_	0		USPAT;	2004/09/04
		transmit\$4 or request\$4 or download) same	US-PGPUB;	19:32
		(replace with (new near3 (unit or	JPO	127.02
		system)))	""	
-	5423	(address\$1 near2 table) same (send\$4 or	USPAT;	2004/09/04
		transmit\$4 or request\$4 or download)	US-PGPUB;	19:34
			JPO	17.54
-	2	((address\$1 near2 table) same (send\$4 or	USPAT;	2004/09/04
	_	transmit\$4 or request\$4 or download) )	US-PGPUB;	19:32
		and (replace with (new near3 (unit or	JPO	15.52
		system)))	1020	
-	150	((address\$1 near2 table) same (send\$4 or	USPAT;	2004/09/04
		transmit\$4 or request\$4 or download) )	US-PGPUB;	19:35
		and (assign\$4 or replac\$4) same (new or	JPO	19:35
		backup) near3 (unit or system)	OFO	
_	150	((address\$1 near2 table) same (send\$4 or	USPAT;	2004/09/04
		transmit\$4 or request\$4 or download) )	US-PGPUB;	19:35
		and (assign\$4 or replac\$4) same ((new or	JPO	19:35
		backup) near3 (unit or system))	JPO	
_	112	((address\$1 near2 table) same (send\$4 or	USPAT;	2004/00/04
	1	transmit\$4 or request\$4 or download) )	1	2004/09/04
		and (assign\$4 or replac\$4) with ((new or	US-PGPUB;	19:36
		backup) near3 (unit or system))	JPO	
_	104		, , , , , , , , , , , , , , , , , , ,	0004/00/05
	104	((address\$1 near2 table) same (send\$4 or transmit\$4 or request\$4 or download) )	USPAT;	2004/09/06
			US-PGPUB;	17:02
		and (assign\$4 or replac\$4) near10 ((new	JPO	
	1	or backup) near3 (unit or system))		